


# Product Profile

## Overflow To Drain System

Model # ODS-SLBV-0833-BC-AP



### System Description:

This system is designed to remove spent garnet and other suspended solids from catch tank overflow water on abrasive and non-abrasive Waterjet systems. The conical bottom tank has a float switch, located inside the tank, that activates the filter pump. The filter pump sends the water through the size 2 stainless steel bag filter to drain.

#### **Note:**

This system will remove suspended particles only to the bag filter specification; it does not filter dissolved solids from the overflow water.

Site requirements

- 110vac/1ph/60hz electrical supply
- Plant air 80psi@2cfm

### System Features:

- Ebbco Stainless Steel, Size Two Sludge Receiver capable of holding up to 5 1/2 gallon of sludge.
- One heavy duty double diaphragm air pump.
- 15-gallon poly tank.
- Compact 2'x3' footprint.
- Pressure switch and beacon for filter bag service.
- Liquid filled 0-60 psi pressure gauges.

THIS IS A PROPRIETARY DOCUMENT  
OF EBBCO, INC



# Technical Information

## Overflow to Drain System

Model # ODS-SLBV-0833-BC-AP

### System:

Dimensions:	24" W X 36"L
Voltage Requirements:	110vac/1ph /60hz
Plant Air	80 Psi @ 2cfm
Inlet Size	1.5"
Outlet Size	3/4"

### Filter Pump:


Air Operated Double Diaphragm Pump.	
Size	1/2"
Connection Size:	1/2"

### Bag Vessel:

Quantity:	1
Model:	SLBV-0833-BC
Construction:	Stainless Steel
Replacement Bag:	CLS-25-G2PS-EA

### Tank:

Capacity:	15 Gallon Conical
Construction:	Poly



### Filter Service Beacon:

The Ebbco Filter Service Beacon Is Designed To Alert You When It Is Time To Change The Filters.

**Ebbco** *inc.*  
WATERJET FILTRATION

